



IPERCERAMICA
wellness

www.iperceramica.it


This product has been imported by
Bayker Italia S.p.A
Via Ghiarola Nuova, 85/87
41042 Fiorano Modenese (MO) Italy



SLIM s/s built-in Shower Panel
(Overhead shower not included)

IPERCERAMICA
wellness
www.iperceramica.it

Installation Guide




Technical Information

Recommended pressure: 3-5 kg/cm²
 Minimum pressure: 1 kg/cm² = 0.97 atmospheres = 0.981 bar
 Maximum pressure: 6 kg/cm² = 7.26 atmospheres = 7.36 bar


Unit: cm

User Height	A	B
170	200	147
180	210	147
190	220	147

CORRECT Installation position



WRONG Installation position




ATTENTION:

Do not install the Shower Panel with water jets in front of a shower enclosure door.


For a correct installation, please install the Shower Panel perpendicularly to the shower door to avoid water spills.

Installation Instruction




1




2




3





Instructions For Use





Hot




Cold




Raindance






Waterfall



Hand shower




How to change LED indicator battery




Step 1



Step 2



Step 3



Spare parts:



X1



X1



X1



X6



X6




X2



X2




X1




Battery

How to change 4-function to be 3-function


4-function



3-function




Loose the connected pipe



Fasten the brass nut

Care and Maintenance

Using clean water and soft cotton cloth to clean the shower panel.



Not using cleaning powder, chemical detergent to clean the shower panel.



Not using acidic detergent to clean the shower panel.



Not pulling the shower hose forcibly in order to avoid the hose cracks.

